
DETAIL #: AVM-560-1500 Aussie Skin 560

Under Slab Assembly
Aussie Skin 560
Waterproofing and Methane Barrier





## Notes:


- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)

AVM-560-1510

Aussie Skin 560

## Exterior Wall to Mat Slab Transition Aussie Skin 560 Waterproofing and Methane Barrier





#### NOTES:

- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.
- 4. Not approved for shot-crete below the water table.
- 5. Drain board must be connected to a permanent dewatering system if used in hydrostatic conditions.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

FILE NAME: 0560-1510

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


Aussie Skin 560

Metal Tie-Back Cover

Aussie Skin 560

Waterproofing and Methane Barrier






## Notes:

- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. Relief cuts may be needed to form Aussie Skin around tie-back cover. All relief cuts should be covered with Sanded Tape.
- 4. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.
- 5. Not approved for shotcrete below water table.

Aussie Skin 560

## Detensioned Tie-Back Box-out Aussie Skin 560 Waterproofing and Methane Barrier





#### NOTES:

- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.


DETAIL #:

AVM-560-2500

Aussie Skin 560

## Aussie Skin Under Grade-Beam - Hydrostatic Aussie Skin 560 Waterproofing and Methane Barrier






## NOTES:

1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.

DETAIL #:
AVM-560-2540
Aussie Skin 560

## Aussie Skin Over Grade-Beam - Hydrostatic Aussie Skin 560 Waterproofing and Methane Barrier





- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Aussie Membrane 520 must cure 24 hours prior to concrete placement.


DETAIL #:

AVM-560-2550

Aussie Skin 560

Aussie Skin Over Grade-Beam
Non-Hydrostatic
Aussie Skin 560
Waterproofing and Methane Barrier





## NOTES:

1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.

AVM-560-2610


Aussie Skin 560

Pile Cap Detail - Hydrostatic

Aussie Skin 560

Waterproofing and Methane Barrier





#### NOTES:

- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Concrete Surface must be free of dirt, debris, release agents and anything else that might inhibit bonding.
- 3. Concrete surface must be structurally sound, uniform and finished with a light broom finish.
- 4. Aussie Membrane 520 must cure 24 hours prior to concrete placement.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

FILE NAME: 0560-2610

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com DETAIL #:

AVM-560-2630

Aussie Skin 560

# Pile Cap Detail - Non-Hydrostatic Aussie Skin 560 Waterproofing and Methane Barrier





#### NOTES:

- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Concrete Surface must be free of dirt, debris, release agents and anything else that might inhibit bonding.
- 3. Concrete surface must be structurally sound, uniform and finished with a light broom finish.
- 4. All fasteners must be covered with Aussie Seal M.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

FILE NAME: 0560-2630


Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

Aussie Skin 560

## Elevator Pit Over Aussie Skin Aussie Skin 560 Waterproofing and Methane Barrier






#### NOTES:

- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.

Aussie Skin 560

## Cored Penetration Aussie Skin 560 Waterproofing and Methane Barrier






#### NOTES:

- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.

Aussie Skin 560

## Slab Penetration Aussie Skin 560 Waterproofing and Methane Barrier





#### NOTES:

- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.
- 4. Allow Aussie Seal M to "skin over" prior to placing concrete.




Pipe Bank Pitch Pan

Aussie Skin 560

Waterproofing and Methane Barrier






- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Aussie Membrane 520 should be cured prior to concrete placement which may take up to 72 hours. Please consult AVM if scheduling does not allow this.

Aussie Skin 560

## Rebar Tie Aussie Skin 560 Waterproofing and Methane Barrier





## NOTES:


- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.

AVM System 560

## Lapping Detail Aussie Skin 560 Waterproofing and Methane Barrier




## **FACTORY LAP**



Important Note: When installing the "Factory Lap", The Installation procedure should be as follows:

- 1) Remove the black plastic film from the factory lap to expose the adhesive.
- 2) Lay down the 2nd layer of Skin over the exposed Adhesive. (leave 1/8"-1/4" of adhesive exposed) Roll the steel roller over the 2nd layer of skin several times while applying significant pressure.
- 3) Verify seam is completely and properly bonded.

## **NON-FACTORY LAP**



Important Note: When installing the "Non-Factory Lap", The Installation procedure should be as follows:

- 1) Remove the black plastic film from one side of the double-sided tape.
- 2) Lay down the Double-Sided Tape on the sanded side of the first layer of Aussie Skin.
- 3) THOROUGHLY COMPRESS THE DOUBLE-SIDED TAPE ONTO THE SANDED SIDE OF THE AUSSIE SKIN USING AVM'S APPROVED STEEL

ROLLERS. (ROLL THE STEEL ROLLER OVER THE TAPE SEVERAL TIMES WHILE APPLYING SIGNIFICANT PRESSURE)


- 4) Carefully remove the clear film (2nd layer of film) from the Double-Sided Tape.
- 5) Lay down the 2nd layer of Skin over the exposed double-Sided Tape. (Leave 1/8"-1/4" of tape exposed) Roll the steel roller over the 2nd layer of skin several times while applying significant pressure.
- 6) Verify seam is completely and properly bonded.
- 7) If multiple pieces of Double-Sided Tape are needed, overlap them.

- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.

Aussie Skin 560

# Non-Factory Lap with Detail Strip Aussie Skin 560 Waterproofing and Methane Barrier





Important Note: When installing the "Alternative Non-Factory Lap", The Installation procedure should be as follows:

- 1) Remove the black plastic film from the Detail Strip to expose the Adhesive.
- 2) Lay down the first layer of Aussie Skin over the exposed Adhesive covering half the width of the detail strip. Roll the steel roller over the seam several times while applying significant pressure.
- 3) Lay down the 2nd layer of Aussie Skin over the remaining exposed adhesive. Leave 1/8"-1/4" of adhesive exposed between the two sheets of Aussie Skin. Roll the steel roller over the seam several times while applying significant pressure.
- 4) Verify seam is complete and properly bonded.


## NOTES:

- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.

Aussie Skin 560

# T-Lap Detail Aussie Skin 560 Waterproofing and Methane Barrier





#### Notes:

- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.

DETAIL #:

AVM-560-6010

Aussie Skin 560


## Nail/Screw Detail Aussie Skin 560 Waterproofing and Methane Barrier




## NON-WATERTABLE PATCH

# NAIL OR SCREW COVERED WITH AUSSIE SKIN SANDED TAPE SOIL RETENTION AUSSIE SKIN 560 LEVEL

#### WATERTABLE PATCH






#### NOTES:

- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.

## Inside Corner Detail Aussie Skin 560 Waterproofing and Methane Barrier





- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.


DETAIL #:

AVM-560-6260

Aussie Skin 560

## Outside Corner Detail at Bottom of Wall Aussie Skin 560 Waterproofing and Methane Barrier





#### NOTES:

- 1. Aussie Skin 560 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.