

# SAFETY DATA SHEET

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA. 91304 Tel: (818) 888-0050 Fax: (818) 888-0030

Product Name: AVM Pigments / AVM Top Coat Sealer & Texture ColorPacks  
Product Codes: This SDS covers all 30 colors in AVM's color chart

SDS Date:12/12/2014  
Rev. 4/15/2020

## AVM's PIGMENTS & COLOR PACKS

### **EMERGENCY CONTACTS:**

**Chemtrec (800) 424-9300**

### HAZARDOUS INGREDIENTS / SARA III INFORMATION

(H.F.R.P.: Health Flammability Reactivity Personal Protection)

#### COLORS INCLUDED IN GROUP 1:

**HMIS Codes: H.F.R.P.: 100B**

#115 Cape Cod Gray      #381 Mesa Tan      #408 Steel Gray      505 Portland Gray      #531 Graphite

<u>Reportable Components</u>	<u>CAS Number</u>	<u>VAPOR PRESURE</u> <u>MM Hg @ Temp</u>		<u>Weight</u> <u>Percent</u>
+ C.I. PIGMENT WHITE 6 PEL 5 MG/M3 (RESPIRABLE DUST) TLV 10 MG/M3 (TOTAL DUST)	13463-67-7	N/A	N/A	45-68
+ Carbon Black PEL 3.5 MG/M3	1333-86-4	N/A	N/A	0.5 - 8.5

(H.F.R.P.: Health Flammability Reactivity Personal Protection)

#### COLORS INCLUDED IN GROUP 2:

**HMIS Codes: H.F.R.P.: 100B**

#212 Spanish Brown      #213 Travatan      #440 Pueblo Peach      #444 Mesquite Brown      #480 Desert Rose  
#490 Tawny Pink      #515 Western Oak      #516 Agoura Brown      #518 Umber      #519 Maple Leaf  
#520 Cinnamon      #534 Ravenwood      #536 Almond      #537 Desert Sand      #542 Sedona Red  
#548 Clay

<u>Reportable Components</u>	<u>CAS Number</u>	<u>VAPOR PRESURE</u> <u>MM Hg @ Temp</u>		<u>Weight</u> <u>Percent</u>
+ C.I. PIGMENT WHITE 6 PEL 5 MG/M3 (RESPIRABLE DUST) TLV 10 MG/M3 (TOTAL DUST)	13463-67-7	N/A	N/A	8-62
+ Carbon Black PEL 3.5 MG/M3	1333-86-4	N/A	N/A	0.2-5
+Iron Oxide Red PEL 10 MG/M3	01309-37-1	N/A	N/A	0.2-10

# SAFETY DATA SHEET

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA. 91304 Tel: (818) 888-0050 Fax: (818) 888-0030

Product Name: AVM Pigments / AVM Top Coat Sealer & Texture ColorPacks  
Product Codes: This SDS covers all 30 colors in AVM's color chart

SDS Date:12/12/2014  
Rev. 4/15/2020

## HAZARDOUS INGREDIENTS / SARA III INFORMATION

(H.F.R.P.: Health Flammability Reactivity Personal Protection)

### COLORS INCLUDED IN GROUP 3:

HMIS Codes: H.F.R.P.: 100B

#307 Navajo White      #390 Western Beige      #522 Ceramic Beige      #525 Gold Dust

<u>Reportable Components</u>	<u>CAS Number</u>	<u>VAPOR PRESURE</u>		<u>Weight</u>
		<u>MM Hg @ Temp</u>		<u>Percent</u>
+ C.I. PIGMENT WHITE 6 PEL 5 MG/M3 (RESPIRABLE DUST) TLV 10 MG/M3 (TOTAL DUST)	13463-67-7	N/A	N/A	55-67
+ Carbon Black PEL 3.5 MG/M3	1333-86-4	N/A	N/A	0.16 Max
+Iron Oxide Yellow PEL 8 MG/M3	51274-00-1	N/A	N/A	1-5

(H.F.R.P.: Health Flammability Reactivity Personal Protection)

### COLORS INCLUDED IN GROUP 4:

HMIS Codes: H.F.R.P.: 100B

#436 Village Green      #509 Ocean Fog      #510 Suede      #514 Sandbed      #530 Atlantic Gray

<u>Reportable Components</u>	<u>CAS Number</u>	<u>VAPOR PRESURE</u>		<u>Weight</u>
		<u>MM Hg @ Temp</u>		<u>Percent</u>
+ C.I. PIGMENT WHITE 6 PEL 5 MG/M3 (RESPIRABLE DUST) TLV 10 MG/M3 (TOTAL DUST)	13463-67-7	N/A	N/A	47-64
+ Carbon Black PEL 3.5 MG/M3	1333-86-4	N/A	N/A	0.1-2
+Iron Oxide Yellow PEL 8 MG/M3	51274-00-1	N/A	N/A	1-5
+Phthalo Blue	147-14-8	N/A	N/A	0.1-0.5

## PHYSICAL / CHEMICAL CHARACTERISTICS

BOILING RANGE: n/a  
VAPOR DENSITY: HEAVIER THAN AIR

WEIGHT PER GALLON: 15-18 lbS/gl  
EVAPORATION RATE: <1

**COATING V.O.C.:** 0 g/l

**MATERIAL V.O.C.:** 0 g/l

SOLUBILITY IN WATER: MISCIBLE

APPEARANCE AND ODOR: FLUID, COLORED PASTE WITH SLIGHT ODOR

# **SAFETY DATA SHEET**

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA. 91304 Tel: (818) 888-0050 Fax: (818) 888-0030

Product Name: AVM Pigments / AVM Top Coat Sealer & Texture ColorPacks  
Product Codes: This SDS covers all 30 colors in AVM's color chart

SDS Date:12/12/2014  
Rev. 4/15/2020

---

## **FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT: n/a METHOD USED: n/a  
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: n/a UPPER: n/a

### EXTINGUISHING MEDIA:

MATERIAL WILL NOT SUPPORT COMBUSTION IN THE WET STATE.

### SPECIAL FIREFIGHTING PROCEDURES:

THE USE OF SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED FOR FIRE FIGHTERS.  
WATER SPRAY MAY BE USED FOR COOLING CONTAINERS TO PREVENT POSSIBLE PRESSURE BUILD-UP AND AUTOIGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT. AVOID SPREADING BURNING LIQUID WITH WATER USED FOR COOLING.

### UNUSUAL FIRE AND EXPLOSION HAZARDS

CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT OR FLAME DUE TO PRESSURE BUILDUP. COOL CONTAINERS WITH WATER SPRAY.

---

## **REACTIVITY DATA**

STABILITY: MATERIAL IS STABLE.  
CONDITIONS TO AVOID NO DATA

### INCOMPATIBILITY (MATERIALS TO AVOID)

AVOID MIXING WITH STRONG OXIDIZERS OR REDUCING AGENTS.

### HAZARDOUS DECOMPOSITION OR BYPRODUCTS

THERMAL DECOMPOSITION MAY YIELD CARBON DIOXIDE AND/OR CARBON MONOXIDE,ACRID SMOKE OR METAL FUMES WHEN HEATED TO DECOMPOSITION.

HAZARDOUS POLYMERIZATION: PRODUCT WILL NOT UNDERGO POLYMERIZATION.

---

## **HEALTH HAZARD DATA**

### INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

INHALATION OF MISTS CAN CAUSE IRRITATION OF NASAL AND RESPIRATORY PASSAGES.

### SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

MAY CAUSE EYE IRRITATION UPON CONTACT.  
MAY CAUSE SKIN IRRITATION UPON CONTACT.

### SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

NO KNOWN EFFECTS.

### INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

INGESTION MAY RESULT IN GASTRIC DISTURBANCES.

HEALTH HAZARDS (ACUTE AND CHRONIC)

# **SAFETY DATA SHEET**

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA. 91304 Tel: (818) 888-0050 Fax: (818) 888-0030

Product Name: AVM Pigments / AVM Top Coat Sealer & Texture ColorPacks  
Product Codes: This SDS covers all 30 colors in AVM's color chart

SDS Date:12/12/2014  
Rev. 4/15/2020

NO KNOWN ACUTE OR CHRONIC HEALTH HAZARDS.

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: UNKNOWN.

EMERGENCY AND FIRST AID PROCEDURES:

EYE CONTACT: FLUSH EYES WITH WATER FOR 15 MIN. SEE A PHYSICIAN.

SKIN CONTACT: WASH SKIN WITH SOAP AND WATER. SEE A PHYSICIAN IF IRRITATION PERSISTS.

INGESTION: IF VICTIM IS CONSCIOUS GIVE TWO GLASSES OF WATER AND INDUCE VOMITING.  
CALL A PHYSICIAN (911) IMMEDIATELY.

---

## **PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED  
DIKE AND CONTAIN SPILLED MATERIAL. ELIMINATE IGNITION SOURCES SUCH AS FLAMES, PILOT LIGHTS, SPARKS  
AND FLARES. SCOOP UP MATERIAL AND PUT INTO A SUITABLE CONTAINER.

WASTE DISPOSAL METHOD:  
OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:  
AVOID EXCESSIVE HEAT OR FLAME. DO NOT WELD ON OR NEAR CONTAINER.  
KEEP CONTAINERS CLOSED WHEN NOT IN USE.

### **FOR INDUSTRIAL USE ONLY. KEEP OUT REACH FROM CHILDREN**

WASH HANDS BEFORE EATING.

OTHER PRECAUTIONS: NO DATA

---

## **CONTROL MEASURES**

RESPIRATORY PROTECTION:  
USE NIOSH APPROVED ORGANIC VAPOR RESPIRATOR WHEN PERMISSIBLE EXPOSURE LIMIT IS EXCEEDED

VENTILATION:  
LOCAL EXHAUST RECOMMENDED.  
MECHANICAL EXHAUST RECOMMENDED.

PROTECTIVE GLOVES:  
IMPERMEABLE RUBBER GLOVES RECOMMENDED.

EYE PROTECTION:  
SAFETY GLASSES OR CHEMICAL SPLASH GOGGLES RECOMMENDED.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NO DATA

WORK/HYGIENIC PRACTICES:  
AVOID BREATHING DUSTS OR MISTS. AVOID CONTACT WITH EYES AND SKIN.

# **SAFETY DATA SHEET**

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA. 91304 Tel: (818) 888-0050 Fax: (818) 888-0030

Product Name: AVM Pigments / AVM Top Coat Sealer & Texture ColorPacks  
Product Codes: This SDS covers all 30 colors in AVM's color chart

SDS Date:12/12/2014  
Rev. 4/15/2020

WEAR PERSONAL PROTECTIVE EQUIPMENT WHEN HANDLING MATERIAL

## **REGULATORY INFORMATION**

THIS IS TO CERTIFY THAT EACH COMPONENT IN THIS PRODUCT IS LISTED ON THE TOXIC SUBSTANCES CONTROL ACT (TSCA) CHEMICAL SUBSTANCE INVENTORY. EACH COMPONENT IN THIS PRODUCT IS LISTED ON THE CANADIAN DOMESTIC SUBSTANCES LIST (DSL).

## **SECTION X - DISCLAIMER**

THE INFORMATION OR RECOMMENDATIONS CONTAINED HEREIN ARE BASED ON INFORMATION OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE AND ARE PROPRIETARY AND ARE FURNISHED SOLELY FOR THE USE OF OUR CUSTOMERS. SINCE IT IS IMPOSSIBLE FOR US TO DETERMINE THE PRECISE CONDITIONS UNDER WHICH OUR PRODUCTS WILL BE USED, NEITHER AVM INDUSTRIES, INC., NOR ITS AFFILIATES CAN ACCEPT RESPONSIBILITY FOR LOSS, INJURY OR OTHER DAMAGES RESULTING FROM THE USE OF THE PRODUCT OR THIS OR ANY OTHER INFORMATION PROVIDED BY US. USERS ARE ADVISED TO MAKE THEIR OWN TESTS TO DETERMINE THE SAFETY, SUITABILITY, AND RELEVANCE OF FEDERAL AND LOCAL LAW TO THE PRODUCT AS IT IS TO BE USED BY THEM. THEREFORE NO GUARANTEE OF ANY KIND EXPRESSED OR IMPLIED, INCLUDING THOSE OF FITNESS OR MERCHANTABILITY, ARE MADE BY AVM INDUSTRIES, INC., OR ITS AFFILIATES WITH REGARD TO ANY OF THEIR PRODUCTS.

INDEX: ND = NO DATA. N/A = NOT APPLICABLE.

### **WARNING**

AVM Industries, inc., as a blender of processed material in the State of California, we are required by Proposition 65 to warn that on or more of the components contained in this product, could contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. The State of California (Proposition 65) requires the above warning in the absence of definitive testing to prove that the defined risks do not exist. We believe this product complies with all other applicable State and Federal laws and regulations governing manufacture, distribution, and intended use.