
AVM System 550G

Slab on Grade over Aussie Skin, Concrete Walls (500/502)





NOTES:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-0002

AVM System 550G

Slab on Grade over Aussie Skin, Concrete Walls (Aussie Mate)





- the membrane and wet Concrete or Shot-Crete.
- 2. Refer to Aussie Mate Product Manual for detailed installation instructions and substrate requirements.
- 3. Contact AVM if no drain board or protection board is specified.
- 4. Below the water table, drain board may be substituted with approved protection layer.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-0004

AVM System 550G

Slab on Grade over Aussie Skin, Concrete Walls (520)





NOTES:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. For proper membrane thickness and appropriate protection and drainage, refer to AVM System 520 Min Thickness Table.
- 3. Contact AVM if no drain board or protection board is specified.
- 4. Below the water table, drain board may be substituted with approved protection layer.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-0006

AVM System 550G

Slab on Grade over Aussie Skin, CMU (Block) Walls (500/502)





NOTES:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. Below the water table, drain board may be substituted with approved protection layer.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-0008

AVM System 550G

Slab on Grade over Aussie Skin, CMU (Block) Walls (520)





- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. Below the water table, drain board may be substituted with approved protection layer.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-0010

AVM System 550G

Slab on Grade over Aussie Skin, Concrete Walls, Minimal Exposed Footing (500/502)





NOTES:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. Exposed top of footing is Less than 3"
- 4. Inside corner (Wall-to-Footing) shown with Water Stop
- 5. Below the water table, drain board may be substituted with approved protection layer.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-0012

AVM System 550G

Slab on Grade over Aussie Skin, Concrete Walls, Minimal Exposed Footing (520)





- 3. Exposed top of footing is Less than 3"
- 4. Inside corner (Wall-to-Footing) shown with Water Stop
- 5. Below the water table, drain board may be substituted with approved protection layer.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-0014

AVM System 550G

Elevated Slab over Aussie Skin, Concrete Walls (500/502)





- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. Below the water table, drain board may be substituted with approved protection layer.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-0016

AVM System 550G

Elevated Slab over Aussie Skin, Concrete Walls (520)





### NOTES:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.

### **Below Water Table Installations**

Below the water table, drain board may be substituted with approved protection layer.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-0018

AVM System 550G

Elevated Slab over Aussie Skin, Concrete Walls Aussie Mate





NOTES:

- 1. Aussie Skin 550 is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. Below the water table, drain board may be substituted with approved protection layer.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-0020

AVM System 550G

Aussie Membrane 500/502 Installation over Aussie Skin.





NOTES:


- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. Below the water table, drain board may be substituted with approved protection layer.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-0022



AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-1200

DETAIL #: 0550G-1210 AVM System 550G

Blindside Waterproofing over Lagging Single System - Hydrostatic





### Notes:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All nails, screws etc used to hang the Aussie Skin below the water table must be non-rusting and sealed with a 3"x3" patch of Aussie Skin 550G bonded with Aussie Skin double sided tape.
- 3. Drain board must be connected to a permanent dewatering system if used in hydrostatic conditions.
- 4. See details AVM-550G-6000, AVM-550G-60002, AVM-550G-6004, and AVM-550G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-1210

DETAIL #: 0550G-1212 AVM System 550G

Blindside Waterproofing over Lagging Single System with Insulation - Hydrostatic





### Notes:


- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All nails, screws etc used to hang the Aussie Skin below the water table must be non-rusting and sealed with a 3"x3" patch of Aussie Skin 550G bonded with Aussie Skin double sided tape.
- 3. See details AVM-550G-6000, AVM-550G-60002, AVM-550G-6004, and AVM-550G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-1212



# Notes:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape to surfaces
- 3. See details AVM-550G-6000, AVM-550G-60002, AVM-550G-6004, and AVM-550G-6010 for Aussie Skin Lap Details
- 4. Drain board must be connected to a permanent dewatering system if used in hydrostatic conditions.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

### FILE NAME: 0550G-1220

DETAIL #: 0550G-1224 AVM System 550G

Raised Slab Single System (Non-Hydrostatic)





## Notes:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. See details AVM-550G-6000, AVM-550G-60002, AVM-550G-6004, and AVM-550G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-1224

DETAIL #: 0550G-1225 AVM System 550G

Raised Slab - Shotcrete Retaining Wall Single System (Non-Hydrostatic)





### Notes:


- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. See details AVM-550G-6000, AVM-550G-60002, AVM-550G-6004, and AVM-550G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-1225



Notes:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. See details AVM-550G-6000, AVM-550G-60002, AVM-550G-6004, and AVM-550G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

### FILE NAME: 0550G-1228

DETAIL #: 0550G-1230 AVM System 550G

Mat Slab Drainage System Single System





# Notes:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. See details AVM-550G-6000, AVM-550G-60002, AVM-550G-6004, and AVM-550G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-1230

DETAIL #: 0550G-1240 AVM System 550G

# Typical Lagging Wall Metal Sheet Pile with Plywood Single System (Non-Hydrostatic)





### Notes:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. Remove/grind/repair as necessary any other protrusions, sharp edges, etc that may puncture or damage the membrane.

4. When using nails to hang the membrane, make sure all nails are flush with the membrane's surface or slightly sunken in below it. (Nails protruding above the membrane's surface may puncture the membrane)


- 5. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with Aussie Seal M.
- 6. Not approved for shotcrete below the water table
- 7. See details AVM-550G-6000, AVM-550G-60002, AVM-550G-6004, and AVM-550G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-1240



Remove/grind/repair as necessary any other protrusions, sharp edges, etc that may puncture or damage the membrane. 3.

When using nails to hang the membrane, make sure all nails are flush with the membrane's surface or slightly sunken in below it. (Nails protruding 4. above the membrane's surface may puncture the membrane)

5. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with Aussie Seal M.


- 6. Not approved for shotcrete below the water table
- See details AVM-550G-6000, AVM-550G-60002, AVM-550G-6004, and AVM-550G-6010 for Aussie Skin Lap Details 7

AVM Industries. Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-1242



AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 


888.414.1041 818.888.0050 www.avmindustries.com

### FILE NAME: 0550G-1244

Aussie Skin 550G

Metal Tie-Back Cover Single System (Non-Hydrostatic)





### Notes:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. Relief cuts may be needed to form Aussie Skin around tie-back cover. All relief cuts should be covered with Sanded Tape.
- 4. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.
- 5. Not approved for shotcrete below water table.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA <u>91304</u>\_\_\_\_\_

**Quality Waterproofing Products** 


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-1530

Aussie Skin 550G

Detensioned Tie-Back Box-out Single System (Non-Hydrostatic)





#### NOTES:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. See details AVM-550G-6000, AVM-550G-60002, AVM-550G-6004, and AVM-550G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-1531

DETAIL #: 0550G-1532 AVM System 550G

# Tie-Back Cover Single System





### Notes:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. See details AVM-550G-6000, AVM-550G-60002, AVM-550G-6004, and AVM-550G-6010 for Aussie Skin Lap Details
- 3. AVM tie-back covers are available in 6" and 8" domes

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-1532

DETAIL #: 0550G-1533 AVM System 550G

Tie-Back Cover Single System





### Notes:


- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. See details AVM-550G-6000, AVM-550G-60002, AVM-550G-6004, and AVM-550G-6010 for Aussie Skin Lap Details
- 3. AVM tie-back covers are available in 6" and 8" domes

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-1532



### Notes:


- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Steel must be clean and rust free prior to applying Aussie Seal M.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

### FILE NAME: 0550G-1536



### Notes:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Steel must be clean and rust free prior to applying Aussie Seal M.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

### FILE NAME: 0550G-1537

DETAIL #: 0550G-1540 AVM System 550G

# Back Lagged Soldier Pile Single Layer System





### Notes:


- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. See details AVM-550G-6000, AVM-550G-60002, AVM-550G-6004, and AVM-550G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

### FILE NAME: 0550G-1540



### Notes:


- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete. Creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 

888.414.1041 818.888.0050 www.avmindustries.com

### FILE NAME: 0550G-1542




1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-1544




FILE NAME: 0550G-2500

AVM System 550G

Aussie Skin Over Grade-Beam - Hydrostatic






- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Concrete must cure min 7 days.
- 3. Aussie Membrane 520 must cure 24 hours prior to concrete placement.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-2540



NOTES:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Concrete must cure min 7 days.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G-2550

AVM-550G-2610

AVM System 550G

Pile Cap Detail - Hydrostatic






- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Concrete Surface must be free of dirt, debris, release agents and anything else that might inhibit bonding.
- 3. Concrete surface must be structurally sound, uniform and finished with a light broom finish.
- 4. Aussie Membrane 520 must cure 24 hours prior to concrete placement.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-2610



#### NOTES:


- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Concrete Surface must be free of dirt, debris, release agents and anything else that might inhibit bonding.
- 3. Concrete surface must be structurally sound, uniform and finished with a light broom finish.
- 4. All fasteners must be covered with Aussie Seal M.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-2630




- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Steel must be clean and rust free prior to applying Aussie Seal M.
- 3. Aussie Skin target sheet only necessary if field sheet is not cut tightly around pipe with gaps >1/4"

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-2800




- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Aussie Membrane 520 should be cured prior to concrete placement which may take up to 72 hours. Please consult AVM if scheduling does not allow this.

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-2802



### NOTES:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. PVC or metal pipe must be clean and free of foreign matter that would prevent Aussie Seal M adhesion.
- 3. Contact AVM if no drain board or protection board is specified.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-2804



Foundation Slab Well Pipe Sealing Box-out





### NOTES:


- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. PVC Well pipe must be solid

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

# FILE NAME: 0550-2806




- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete. Creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)
- 3. Target sheet is required if gap between field sheet and rod is >2"

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 

888.414.1041 818.888.0050 www.avmindustries.com

# FILE NAME: 0550G-2808




1. Aussie Skin 550 is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-2810



#### NOTES:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-3000

AVM System 550G

Through Wall Penetration Sealant on Sanded Side - Single System





### NOTES:

1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.

2. PVC or metal pipe must be clean and free of foreign matter that would prevent Aussie Seal M adhesion.

3. Contact AVM if no drain board or protection board is specified.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G-4000

AVM-550G-4002

AVM System 550G

Multiple Pipe Penetration Sealant on Sanded Side - Single System





### NOTES:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. PVC or metal pipe must be clean and free of foreign matter that would prevent Aussie Seal M adhesion.
- 3. Contact AVM if no drain board or protection board is specified.
- 4. 6" minimum spacing required between multiple pipes. Closer spacing may be allowed with specific limitations and required enhancements prior to job start in writing from AVM

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-4002

AVM System 550G

Sleeved Pipe Penetration Single System





NOTES:

1. Aussie Skin 550g is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.

2. PVC or metal pipe must be clean and free of foreign matter that would prevent Aussie Seal M adhesion.

3. Contact AVM if no drain board or protection board is specified.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-4005

AVM System 550G

Pipe Penetration Sealant on HDPE Side Single System





NOTES:

1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.

2. PVC or metal pipe must be clean and free of foreign matter that would prevent Aussie Seal M adhesion.


3. Contact AVM if no drain board or protection board is specified.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-4010



1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete. Creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.

2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 


888.414.1041 818.888.0050 www.avmindustries.com

# FILE NAME: 0550G-4015

DETAIL #: 0550G-4100 AVM System 550G

Rebar Tie Single Layer System





Notes:


1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

# FILE NAME: 0550G-4100



1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com


# FILE NAME: 0550G-4200


AVM System 550G

Nail/Screw Detail









### NOTES:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with approved Sealant.

### **Below Water Table Installations**

WATERTABLE PATCH


 All nails, screws etc used to hang the Aussie Skin below the water table must be non-rusting and sealed with a 3"x3" patch of Aussie Skin 550G bonded with Aussie tape.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

# Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-4205




8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-6000 Protected



Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G-6002

AVM System 550G Aussie Skin 550G

# Non-Factory Lap with Detail Strip







Important Note: When installing the "Alternative Non-Factory Lap", The Installation procedure should be as follows:

1) Remove the black plastic film from the Detail Strip to expose the Adhesive.

2) Lay down the first layer of Aussie Skin over the exposed Adhesive covering half the width of the detail strip. Roll the steel roller over the seam several times while applying significant pressure.

3) Lay down the 2nd layer of Aussie Skin over the remaining exposed adhesive. Leave 1/8"-1/4" of adhesive exposed between the two sheets of Aussie Skin. Roll the steel roller over the seam several times while applying significant pressure.

4) Verify seam is complete and properly bonded.

NOTES:


- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the Lap Joints

# AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

# Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G-6004



**Quality Waterproofing Products** 

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-6005




1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-6010




- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

# FILE NAME: 0550G-6015




- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-6020



### NOTES:

1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.


2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape).

## AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-6200




- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-6260



1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

### FILE NAME: 0550G-7000

DETAIL #: 0550G-7010 AVM System 550G

Aussie Skin Lagging Wall to Aussie Mate Free Standing Wall Transition





AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-7010

AVM System 550G

Aussie Skin Installation over Aussie Membrane 500/502/520.





### NOTES:


- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. Contact AVM if no drain board or protection board is specified.
- 3. Below the water table, drain board may be substituted with approved protection layer.

### AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G-0014



Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

## FILE NAME: 0550G-7500



- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. For post applied membrane thickness and primer requirements, refer to AVM System 500/502/520/Aussie Mate Installation Instructions.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

## FILE NAME: 0550G-7505

DETAIL #: 0550G-7600 Aussie Skin 550G

Transition to Aussie 500/502 at Horizontal Deck Aussie Skin 550G





### Notes:

- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete. Creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

**Quality Waterproofing Products** 

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-7600