
AVM-0550G_0560G-0002

AVM System 550G/0560G

Slab on Grade over Aussie Skin, Concrete Walls (500/502)





AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G 0560G-0002

AVM-0550G_0560G-0004

AVM System 550G/560G

Slab on Grade over Aussie Skin, Concrete Walls (Aussie Mate)





Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304


Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-0004

AVM-0550G_0560G-0006 AVM System 550G/560G Slab on Grade over Aussie Skin, Concrete Walls (520)





1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-0006

AVM System 550G/560G

Slab on Grade over Aussie Skin, CMU (Block) Walls (500/502)





1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-0008



AVM System 550G/560G

Slab on Grade over Aussie Skin, CMU (Block) Walls (520)





8245 Remmet Ave, Canoga Park, CA 91304

AVM Industries, Inc.


Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-0010

AVM-0550G_560G-0012 AVM System 550G/560G Slab on Grade over Aussie Skin, Concrete Walls, Minimal Exposed Footing (500/502)





Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304


Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-0012

AVM-0550G_0560G-0014 AVM System 550G/560G Slab on Grade over Aussie Skin, Concrete Walls, Minimal Exposed Footing (520)





1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304


Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-0014

AVM-0550G_0560G-0016 AVM System 550G/560G Elevated Slab over Aussie Skin, Concrete Walls (500/502)






- Notes:
- 1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304	Quality Waterproofing Products	888.414.1041 818.888.0050 www.avmindustries.com
FILE NAME: 0550G 0560G-0016	Protected by Copyright - AVM Industries, Inc. Revision Date 12/20/2020	

AVM-0550G_0560G-0018 AVM System 550G/560G Elevated Slab over Aussie Skin, Concrete Walls (520)





1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304


Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-0018

AVM-0550G_0560G-0020 AVM System 550G/506G Elevated Slab over Aussie Skin, Concrete Walls Aussie Mate





AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G 0560G-0020

AVM-0550G_0560G-0022

AVM System 550G/560G

Aussie Membrane 500/502 Installation over Aussie Skin.





Notes:


1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-0022



1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1200

DETAIL #: 0550G_0560G-1210 AVM System 550G/560G

Blindside Waterproofing over Lagging Single System - Hydrostatic





Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1210

DETAIL #: 0550G_0560G-1212 AVM System 550G/560G

Blindside Waterproofing over Lagging Single System with Insulation - Hydrostatic





Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1212

DETAIL #: 0550G_0560G-1220 AVM System 550G/560G

Lagging Wall with Rock Pocket





Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1220

DETAIL #: 0550G_0560G-1224 AVM System 550G/560G

Raised Slab Single System (Non-Hydrostatic)






FILE NAME: 0550G_0560-1224

DETAIL #: 0550G_0560G-1225

AVM System 550G/0560G

Raised Slab - Shotcrete Retaining Wall Single System (Non-Hydrostatic)





Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1225



Raised Slab with Vapor Barrier





Notes:


1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1228



AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1229

DETAIL #: 0550G_0560G-1230 AVM System 550G/560G

Mat Slab Drainage System Single Layer System





Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-1230

DETAIL #: 0550G_0560G-1240

AVM System 550G/560G

Typical Lagging Wall Metal Sheet Pile with Plywood Single Layer System





Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-1240

DETAIL #: 0550G 0560G-1242

AVM System 550G/560G

Typical Lagging Wall Shotcrete Retaining Single Layer System





Notes:


1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1242



1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-1244

DETAIL #: 0550G_0560G-1530

Aussie Skin 550G/560G

Metal Tie-Back Cover Single Layer System





Notes:

1. Relief cuts may be needed to form Aussie Skin around tie-back cover. All relief cuts should be covered with Sanded Tape.

2. All nails, screws etc used to hang the Aussie Skin above the water table must be non-rusting and sealed with AVM approved Sealant.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-1530

AVM-0550G_0560G-1531

Aussie Skin 550G/560G

Detensioned Tie-Back Box-out Single Layer System





Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304 Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1531

DETAIL #: 0550G_0560G-1532 AVM System 550G/560G

4" Tie-Back Cover Single Layer System





Notes:


1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1532




1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1533




1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1534




- 1. Aussie Skin 550G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete. Creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_560G-1535




1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1536



1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1537

DETAIL #: 0550G_0560G-1540 AVM System 550G/560G

Back Lagged Soldier Pile Single Layer System






 Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1540




AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304


Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1542




FILE NAME: 0550G_0560G-1544



FILE NAME: 0550G_0560G-2500

Aussie Skin Over Grade-Beam - Hydrostatic





1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.


- 2. Concrete must cure min 7 days prior to Aussie 520 installation.
- 3. Aussie Membrane 520 must cure 24 hours prior to concrete placement.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-2540



NOTES:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-2550

DETAIL #: AVM-0550G_0560G-2610

AVM System 550G/560G

Pile Cap Detail - Hydrostatic





1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.


- 2. Concrete Surface must be free of dirt, debris, release agents and anything else that might inhibit bonding.
- 3. Concrete surface must be structurally sound, uniform and finished with a light broom finish.
- 4. Aussie Membrane 520 must cure 24 hours prior to concrete placement.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-2610



Notes:


1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-2630




- 1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.
- 2. Steel must be clean and rust free prior to applying Aussie Seal M.
- 3. Aussie Skin target sheet only necessary if field sheet is not cut tightly around pipe with gaps >1/4"

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-2800



1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.


2. Aussie Membrane 520 should be cured prior to concrete placement which may take up to 72 hours. Please consult AVM if scheduling does not allow this.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-2802



Notes:


 Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-2804




1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-2806



Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.


2. Target sheet is required if gap between field sheet and rod is >2"

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-2808




FILE NAME: 0550G_0560G-2810

DETAIL #:

AVM-550G_560G-3000 Aussie Skin 550G/560G Elevator Pit Over Aussie Skin



Aussie Skin 550G/560G



AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-3000

DETAIL #: AVM-0550G_0560G-4000 AVM System 550G/560G

Through Wall Penetration Sealant on Sanded Side - Single System



Aussie Skin 550G/560G



1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-4000

DETAIL #: AVM-0550G_0560G-4002 AVM System 550G/560G

Multiple Pipe Penetration Sealant on Sanded Side - Single System



Aussie Skin 550G/560G



NOTES:


- Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.
- 2. PVC or metal pipe must be clean and free of foreign matter that would prevent Aussie Seal M adhesion.
- 3. 6" minimum spacing required between multiple pipes. Closer spacing may be allowed with specific limitations and required enhancements prior to job start in writing from AVM

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G 0560G-4002



Notes:


1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-4003



```
Notes:
```

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-4004

DETAIL #:


AVM-550G_0560G-4005

AVM System 550G/560G

Sleeved Pipe Penetration Single System



Aussie Skin 550G/560G



Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-4005

DETAIL #:


AVM-0550G 0560G-4010

AVM System 550G/560G

Pipe Penetration Sealant on HDPE Side Single System



Aussie Skin 550G/560G



between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-4010

DETAIL #: 0550G_560G-4015 Aussie Skin 550G/560G

Cored Penetration Sealant on HDPE Side



Aussie Skin 550G/560G



Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-4015

DETAIL #: 0550G 0560G-4100 AVM System 550G/560G

Rebar Tie Single Layer System



Aussie Skin 550G/560G



Notes:


1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G 0560G-4100



Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-4200

DETAIL #: AVM-0550G_0560G-4205

AVM System 550G/560G


Nail/Screw Detail



Aussie Skin 550G/556G

NON-WATERTABLE PATCH

WATERTABLE PATCH




1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-4205



FILE NAME: 0560G-6000

AVM System 560G Aussie S	/ Lap Detailing kin 560G and Methane Barrier	EXAMPLE INDUSTRIES INC
STANDARD NON- FACTORY LAP WITH DOUBLE SIDED TAPE		
AUSSIE SKIN DOUBLE		AUSSIE SKIN 560G
(MIN 3" LAP REQUIRED)		
STANDARD NON-FACTORY LAP WITH DETAIL STRIP		
AUSSIE SKIN 560G	COVER GAPS	ELARGER THAN 1/4" SKIN SANDED TAPE
AUSSIE SKIN DETAIL STRIP MIN 5" LAP REQUIR	ED/ / MIN 5" LAP REQU 13"	
OPTIONAL NON-FACTORY LAP WITH SANDED TAPE AND AUSSIE SEAL M (ENHANCED DETAIL NOT REQUIRED FOR WARRANTY)		
3" TOOLED BEAD OF AUSSIE SEAL M — (ENSURE SEALANT IS THICK ENOUGH T FULLY COVER GRANULAR LAYER) AUSSIE SKIN DOUBLE SIDED TAPE	0 4" (MIN 3" LAP REQUIRED)	
 Notes: 1. Aussie Skin 560G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete. Creating excellent adhesion between the membrane and wet Concrete or Shot-Crete. Aussie Membrane 560G is also an approved methane/VOC barrier. 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape) 		
AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304	Quality Waterproofing Product	888.414.1041 818.888.0050 s www.avmindustries.com
FILE NAME: 0560G-6002	Protected b	by Copyright - AVM Industries, Inc. Revision Date 7/26/2022




adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-6010



Notes:


- 1. Aussie Skin 560G is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete. Creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304


Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-6015



FILE NAME: 0550G_0560G-6020



AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-6210



Avia System 550G_500G

Outside Corner Detail - at Bottom of Wall





Notes:

1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-6260

DETAIL #: 0550G_0560G-6265 AVM System 550G_560G

Outside Corner Detail at Top of Wall (Elevator Pit) Aussie Skin 550G/560G





Notes:


1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-6265



FILE NAME: 0550G 0560G-7000

8245 Remmet Ave, Canoga Park, CA 91304


Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

DETAIL #: 0550G_0560G-7010 AVM System 550G/560G

Aussie Skin Lagging Wall to Aussie Mate Free Standing Wall Transition






AVM-550G_560G-7020

AVM System 550G/560G

DETAIL #:

Aussie Skin Installation over Aussie Membrane 500/502/520.





Notes:


1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-0014



AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_560G-7022

DETAIL #: 0550G_560G-7024 Aussie Skin 550G/560G

Aussie Skin Transition to Aussie Mate 580-AL Option 2 Aussie Skin 550G/560G





Notes:


1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_560G-7024




AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-7500



Notes:


1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G 0560G-7505



Notes:

- Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.
 This repair procedure is intended for large areas of damage (cutout areas, misplaced penetrations, etc.). Please refer to AVM Detail
- 0550G/0560G-8004 for repair procedures for small cuts and punctures.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-8002


DETAIL #: 0550G/0560G - 8004

Aussie Skin 550G/560G

Svstem:

Repair Procedure for Cuts, Slices, and Small Punctures Aussie Skin 550G/560G





Notes:


1. Aussie Skin 550G and 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between the membrane and wet Concrete or Shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G/0560G - 8004



Notes:

- 1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- 2. Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1200AC


DETAIL #: 0550G_0560G -1212AC AVM System 550G/560G - 590

Blind Side Waterproofing over Lagging



AVM System 550G/560G - 590

Aussie Clay Dual System - Hydrostatic



Notes:

- 1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- 2. Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1520AC

DETAIL #: 0550G 0560G-1214AC AVM System 550G/560G - 590

Blind Side Waterproofing over Concrete/Shotcrete



Aussie Clay Dual System - Hydrostatic SHOTCRETE WALL AUSSIE CLAY 590 Δ AUSSIE SKIN LAP - SEE SYSTEM DETAILS FOR LAP REQUIREMENTS RETAINED EARTH AUSSIE SKIN 550G/0560G Δ CONCRETE/SHOTCRETE 1. **RETAINING WALL** AUSSIE SWELL WATERSTOP MIN 3" COVERAGE AUSSIE SKIN 550G/0560G CORNER TRANSITION SHEET Δ Δ HORIZONTALLY ORIENTATED Δ

Notes:

1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.

AUSSIE SKIN LAP - SEE SYSTEM DETAILS FOR LAP REQUIREMENTS

Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating 2. excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888,414,1041 818,888,0050 www.avmindustries.com

1

Λ

FILE NAME: 0550G 0560G-1214AC

COMPACTED EARTH OR MUD SLAB



Notes:


- 1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- 2. Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1220AC



Notes:


- 1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- 2. Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1221AC



- 1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- 2. Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1226AC


DETAIL #:

AVM-550G_0560G-1530AC Aussie Skin 550G/560G - 590

Metal Tie-Back Cover







Notes:


- 1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- 2. Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1530AC



- Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
 Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating
- excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-1531AC

DETAIL #: 0550G_0560G - 1532AC Aussie Skin 550G/560G - 590

4 Inch Tie-Back Cover



Aussie Clay Dual System



Notes:

- Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
 Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating
- excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-1532AC

DETAIL #: 0550G_0560G-1533AC Aussie Skin 550G/560G - 590

6 Inch Tie Back Cover



Aussie Clay Dual System



Notes:

 Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
 Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-1533AC

DETAIL #: 0550G_0560G-1534AC Aussie Skin 550G/560G - 590

8 Inch Tie-Back Cover



Aussie Clay Dual System



Notes:

- 1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- 2. Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-1534AC


DETAIL #: 0550G 0560G-1536AC

Aussie Skin 550G/560G - 590

Raker Beam Detail



Aussie Clay Dual System



Notes:

- 1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- 2. Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-1536AC

DETAIL #: 0550G_0560G-1540AC AVM System 550G/560G - 590

Back Lagged Soldier Pile



Aussie Clay Dual System



Notes:

- 1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- 2. Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G-1540AC

DETAIL #: 0550G_0560G-1544AC AVM System 550G/560G - 590

Lagging Board Removal at Grade



Aussie Clay Dual System



1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.

2. Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME:0550G_0560G-1544AC

DETAIL #: 0550G_0560G - 4000 AC Aussie Skin 550G/560G - Clay 590

Single Slab Penetration



Aussie Clay Dual System



Notes:


 Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
 Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G - 4000 AC



Notes:

 Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
 Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0550G_0560G - 4002 AC



Sleeved Pipe Penetration

Aussie Clay Dual System





NOTES:


- 1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- 2. Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-4005AC



NOTES:

- 1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- 2. Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-4010AC

DETAIL #: 0550G_0560G-4100AC AVM System 550G/560G/590

Rebar Tie Aussie Clay Dual System





Notes:


- 1. Aussie Skin is a Heavy, Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and 2. backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- Fasten Aussie Clay with pneumatic staples or 1" washer-head fasteners placed maximum 24" on center 3.
- 4. Install Aussie Clay and Aussie Clay PL with gray geotextile facing installer.

AVM Industries. Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G-4100AC



- 1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating 2. excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products


888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-7502AC





Aussie Clay Dual System



- 1. Aussie Clay & Aussie Clay PL are bentonite sheet membranes for waterproofing below-grade vertical and horizontal surfaces, including blindside and backfilled applications. Aussie Clay can be used with shotcrete or cast in place concrete in hydrostatic or non-hydrostatic conditions.
- 2. Aussie Skin 550G & 560G are Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membranes with added technologies creating excellent adhesion between membrane & wet concrete or shotcrete. Aussie Skin 560G is an approved methane/VOC barrier.

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0550G_0560G-7505AC


DETAIL #: 0560G-0002-M

System:

Aussie Skin 560G

Vapor Barrier with Backfilled Waterproofing AVM AUSSIE SKIN 560G





Notes:

- 1. Aussie Skin 56G0 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)
- 3. See details AVM-560G-6000, AVM-560G-6004, and AVM-560G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0560G-0002-M


DETAIL #: 0560G-0004-M

System:

Aussie Skin 560G

Transition to Waterproofing Flush Footing AVM AUSSIE SKIN 560G





Notes:

- 1. Aussie Skin 56G0 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)
- 3. See details AVM-560G-6000, AVM-560G-6004, and AVM-560G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0560G-0004-M


detail #: 0560G-0101-M

System:

Aussie Skin 560G



AVM AUSSIE SKIN 560G - METHANE ONLY



Notes:

- 1. Aussie Skin 56G0 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)
- 3. See details AVM-560G-6000, AVM-560G-6004, and AVM-560G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0560G-0101-M

detail #: 0560G-0110-M

^{System:} Aussie Skin 560G



AVM AUSSIE SKIN 560G - METHANE ONLY



Notes:

1. Aussie Skin 56G0 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.

- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)
- 3. See details AVM-560G-6000, AVM-560G-6004, and AVM-560G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0560G-0110-M

DETAIL #: 0560G-4001-M

_{System:} Aussie Skin 560G Typical Under Slab Assembly Compacted Earth



AVM AUSSIE SKIN 560G - METHANE ONLY




AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0560G-4001-M



AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com


FILE NAME: 0560G-4011-M

detail #: 0560G-4016-M

_{System:} Aussie Skin 560G

Typical Horizontal Membrane Termination





Notes:

- 1. Aussie Skin 56G0 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)
- 3. See details AVM-560G-6000, AVM-560G-6004, and AVM-560G-6010 for Aussie Skin Lap Details

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0560G-4016-M

DETAIL #: **Typical Vertical Membrane Termination** 0560G-4018-M System: Aussie Skin 560G AVM AUSSIE SKIN 560G - METHANE ONLY 1" TOOLED BEAD OF AUSSIE SEAL M ALONG SHEET EDGE FOUNDATION -AUSSIE SKIN DOUBLE WALL SIDED TAPE CONCRETE SLAB AUSSIE SKIN 560G 4" MINIMUM - MAY -VARY DEPENDING ON SLAB THICKNESS CONCRETE -FOOTING **4" AGGREGATE BELOW** AUSSIE SKIN 560G \triangleleft SANDED LAYER Δ.

Notes:

- 1. Aussie Skin 56G0 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)


AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

HDPE LAYER

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0560G-4018-M



FILE NAME: 0560G-4020-M

DETAIL #: 0560G-6710-M


System:

Aussie Skin 560G

Multiple Pipe Bank Pitch Pan



AVM AUSSIE SKIN 560G - METHANE ONLY




AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0560G-6710-M



Notes:


- 1. Aussie Skin 56G0 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0560G-6712-M



Notes:

- 1. Aussie Skin 56G0 is a Methane and Shotcete Approved Heavy Duty, Easy to Install, Puncture Resistant Sheet Waterproofing Membrane with added technologies creating excellent adhesion between the membrane and wet Concrete or Shot-Crete.
- 2. All surfaces must be clean and sound before installing the lap joints. (Remove excess sand before applying double sided tape)

AVM Industries, Inc. 8245 Remmet Ave, Canoga Park, CA 91304

Quality Waterproofing Products

888.414.1041 818.888.0050 www.avmindustries.com

FILE NAME: 0560G-6714-M